

Write your name here

Surname

Other names

Pearson Edexcel
Level 3 GCE

Centre Number

--	--	--	--	--

Candidate Number

--	--	--	--

Biology B

Advanced

**Paper 1: Advanced Biochemistry,
Microbiology and Genetics**

Thursday 7 June 2018 – Morning
Time: 1 hour 45 minutes

Paper Reference

9BI0/01

You must have:

Calculator, HB pencil, ruler

Total Marks

Instructions

- Use **black** ink or ball-point pen.
- **Fill in the boxes** at the top of this page with your name, centre number and candidate number.
- Answer **all** questions.
- Show your working in any calculation questions and include units in your answer where appropriate.
- Answer the questions in the spaces provided
– *there may be more space than you need.*
- You may use a scientific calculator.
- In questions marked with an **asterisk** (*), marks will be awarded for your ability to structure your answer logically showing how the points that you make are related or follow on from each other where appropriate.

Information

- The total mark for this paper is 90.
- The marks for **each** question are shown in brackets
– *use this as a guide as to how much time to spend on each question.*

Advice

- Read each question carefully before you start to answer it.
- Try to answer every question.
- Check your answers if you have time at the end.

Turn over ►

P52285A

©2018 Pearson Education Ltd.

1/1/1/1/1/



Pearson

Answer ALL questions.

Write your answers in the spaces provided.

Some questions must be answered with a cross in a box ☒. If you change your mind about an answer, put a line through the box ~~☒~~ and then mark your new answer with a cross ☒.

1 The venom from some species of snake contains enzymes that affect the blood clotting process.

(a) (i) Which is a correct statement about enzymes?

(1)

- A** enzymes decrease the activation energy of metabolic reactions and decrease reaction time
- B** enzymes decrease the activation energy of metabolic reactions and increase reaction time
- C** enzymes increase the activation energy of metabolic reactions and decrease reaction time
- D** enzymes increase the activation energy of metabolic reactions and increase reaction time

(ii) Which components of the blood clotting process are active enzymes?

(1)

- A** fibrin and thrombin
- B** fibrinogen and thrombin
- C** fibrinogen and thromboplastin
- D** thrombin and thromboplastin

(b) Factor Xa is a clotting factor present in human blood.

The table shows the effect of different masses of Factor Xa and snake venom on the time taken for blood to clot.

Mass added / μg	Time taken for blood to clot / s	
	Factor Xa added	Snake venom added
0.002	150	104
0.004	44	50
0.020	40	38
0.040	39	37



Describe the effect of snake venom on the time taken for the blood to clot.

(2)

.....

.....

.....

.....

.....

.....

(c) State the role of platelets in the blood clotting process.

(1)

.....

.....

.....

.....

.....

.....

(Total for Question 1 = 5 marks)

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA



(b) Describe how this precursor molecule is modified to produce a tRNA molecule specific for the amino acid proline.

(3)

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

(c) (i) Which of the following base sequences is the mRNA code for proline?

(1)

- A** AAT
- B** CCA
- C** CCT
- D** CCU

(ii) Which of the following base sequences is the DNA code for proline?

(1)

- A** ACC
- B** CCA
- C** GGT
- D** UGG

(Total for Question 2 = 6 marks)

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA



P 5 2 2 8 5 A 0 5 2 8

3 The photograph shows an adult mayfly.



(a) *Rhithrogena germanica* is commonly known as the March brown mayfly.

The classification hierarchy for this mayfly is: Animalia

Arthropoda

Insecta

Ephemeropteroidea

Heptageniidae

Rhithrogena germanica

(i) State the genus of this mayfly.

(1)

(ii) This mayfly belongs to the phylum Arthropoda.

Which is the order for this mayfly?

(1)

- A Animalia
- B Ephemeropteroidea
- C Heptageniidae
- D Insecta

DO NOT WRITE IN THIS AREA


DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA



(c) Mayfly eggs hatch into immature insects called nymphs. The nymphs live in the water and develop to form adult mayflies.

The photograph shows a mayfly nymph.



Compare and contrast the structure of the gas exchange system of the mayfly nymph with the adult mayfly.

(3)

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

(Total for Question 3 = 9 marks)



4 Mitochondria can be extracted from liver cells.

In order to monitor the purification of a sample of mitochondria, a protein concentration : enzyme activity ratio can be determined.

(a) Describe the structure of a globular protein.

(2)

.....

.....

.....


.....

.....

.....

(b) The enzyme used to monitor the purification of mitochondria is succinate dehydrogenase.

This enzyme is involved in the Krebs cycle and converts succinate into fumarate in this reaction.



(i) When succinate is converted into fumarate, succinate is

(1)

- A hydrolysed
- B oxidised
- C phosphorylated
- D reduced



- (i) This sample of mitochondria had an absorbance of 0.28 when the protein concentration was measured.

Determine the protein concentration of this sample of mitochondria.

(1)

Answer

- (ii) Determine the initial rate of enzyme activity to obtain the protein : enzyme activity ratio for this sample of mitochondria.

(2)

Ratio

(Total for Question 4 = 10 marks)

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA



P 5 2 2 8 5 A 0 1 1 2 8

5 Leigh syndrome is a genetic disorder inherited from the mother. The mother carries genes for the disorder in her mitochondrial DNA.

(a) Draw and label a mitochondrion.

(4)

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

(b) Scientists have developed a technique for producing 'three-parent' babies.

This ensures that a mother with Leigh syndrome will not pass on the genes for this disorder to her baby.

The technique involves:

- removing the nucleus from the ovum of the mother
- removing the nucleus from the ovum of a donor female to produce an enucleated ovum
- inserting the nucleus from the ovum of the mother into the enucleated donor ovum
- fertilising this ovum with the sperm of the father to produce a zygote
- implanting the resulting embryo into the uterus of the mother.



DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

(i) The 'three-parent' baby produced by this technique will inherit mitochondrial DNA from the

(1)

- A donor female
- B donor female and father
- C mother
- D mother and father

(ii) Explain the importance of DNA replication during the development of this zygote into a blastocyst.

(3)

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

(Total for Question 5 = 8 marks)



6 During the development of active immunity, macrophages present antigens to T helper cells.

(a) Describe how macrophages present antigens to T helper cells.

(2)

.....

.....

.....

.....

.....

.....

(b) In an investigation into clonal selection, macrophages and T cells were isolated from two strains of guinea pig, strain 2 and strain 13.

The macrophages from each strain of guinea pig were exposed to an antigen and treated with mitomycin.

Mitomycin forms cross links between complementary strands of DNA.

These macrophages were then cultured with T cells from each of the strains of guinea pig for 72 hours.

Radioactive thymidine was included in the culture. This molecule will become incorporated into DNA during DNA replication instead of thymine.

The table shows the results of this investigation.

Source of macrophages	Level of radioactive thymidine incorporated into T cells / a.u.	
	T cells from strain 2 guinea pigs	T cells from strain 13 guinea pigs
strain 2	180	13
strain 13	17	59

(i) Explain why the macrophages were treated with mitomycin.

(3)

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA



7 Xylem and phloem are involved in transport in plants.

(a) (i) Which row of the table shows some of the substances transported in xylem and phloem?

(1)

	Xylem	Phloem
<input type="checkbox"/> A	water only	sucrose only
<input type="checkbox"/> B	water only	water and sucrose
<input type="checkbox"/> C	water and mineral ions	sucrose only
<input type="checkbox"/> D	water and mineral ions	water and sucrose

(ii) Describe the differences between the structure of xylem and that of phloem.

(3)

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA


DO NOT WRITE IN THIS AREA



*(c) Double fertilisation in some plants leads to the development of fruits, such as berries.

In an investigation, the rate of flow in xylem during the formation of berries was measured. The rate of flow in the phloem during the formation and ripening of the berries was also measured.

The results are shown in graph 1.




In a second investigation, two plants with berries were exposed to radioactive carbon dioxide (¹⁴C).

After exposure to ¹⁴C, the berries were removed from one plant and left on the second plant.

The percentage of ¹⁴C remaining in the leaves of each plant was determined during the next 10 hours.

The results are shown in graph 2.



Analyse the data to explain the role of double fertilisation, xylem and phloem in the development of the berries.

(6)

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

Area with horizontal dotted lines for writing.

(Total for Question 7 = 14 marks)



P 5 2 2 8 5 A 0 1 9 2 8

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

(ii) The scientist made a broth culture of *Salmonella* at a concentration of 5×10^3 cells per cm^3 .

Ten hours later the concentration of *Salmonella* was 4×10^6 per cm^3 .

Calculate the exponential growth rate constant (k) for this culture of *Salmonella* using the formula

(3)

$$k = \frac{\log_{10} N_t - \log_{10} N_0}{0.301 \times t}$$

Answer

(iii) In this calculation, the scientist did not allow for the time that the *Salmonella* spent in the lag phase.

Explain the effect that this will have on the calculated value for the growth rate constant.

(3)

.....
.....
.....
.....
.....
.....
.....
.....
.....
.....
.....
.....
.....
.....
.....

(Total for Question 8 = 11 marks)



DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

BLANK PAGE



9 Soya beans are an important crop for the production of food and oil.

- (a) In the 2012 to 2013 growing season, production of soya beans was highest in the United States and second highest in Brazil.

The United States produced 93 million tonnes of soya beans from 31 million hectares.

This was 9.4% more than Brazil produced from 28 million hectares.

Calculate the difference in the yield per hectare of soya beans from these two countries.

(3)

Answer

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA



P 5 2 2 8 5 A 0 2 3 2 8

(b) Soya beans can be genetically modified to form transgenic plants.

A study of the nutritional content of soya beans from non-transgenic soya bean plants and from transgenic soya beans plants was carried out in two regions of Brazil.

The regions were Ponta Grossa and Londrina.

Tables 1 and 2 show the results of this study.

Table 1

Type of plant	Region	Mean mineral content / mg per 100 g dried soya beans		
		Iron	Copper	Manganese
Non-transgenic	Ponta Grossa	3.34	0.76	1.38
Transgenic	Ponta Grossa	3.44	0.86	1.40
Non-transgenic	Londrina	4.59	1.35	2.20
Transgenic	Londrina	4.15	1.25	2.02

Table 2

Type of plant	Region	Mean organic content / mg per 100 g dried soya beans		
		Protein	Lipid	Carbohydrate
Non-transgenic	Ponta Grossa	38.61	21.09	23.88
Transgenic	Ponta Grossa	38.80	21.19	23.41
Non-transgenic	Londrina	41.68	18.56	25.74
Transgenic	Londrina	40.62	19.87	25.26



*(i) Analyse the data to assess the nutritional content of soya beans from transgenic and from non-transgenic soya bean plants grown in these two regions.

(6)

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

Area with horizontal dotted lines for writing.



DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

BLANK PAGE



DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

BLANK PAGE

